Index

Original Investigations and Short Communications

Ahlrichs, R., Heinzmann, R., Zirz, C.: Conformation Analysis of Diphosphine 29

André, J.-M., s. Delhalle, J., et al. 215

André, J.-M., Derouane, E.G., Fripiat, J.G., Vercauteren, D.P.: Quantum Mechanical Approach to the Chemisorption of Molecular Hydrogen on Defect Magnesium Oxide Surfaces 239

Bachler, V., Mark, F.: Application of Intermolecular SCF-Perturbation Theory to the Regioselectivity in the Diels-Alder Reaction 121

Baerends, E.J., s. Ziegler, T., et al. 261

Barsotti, R., s. Clementi, E., et al. 101

Bollini, C.G., Giambiagi, J.J., Giambiagi, M., Segre de Giambiagi, M.: About Direct Obtainment of π SC Bond Orders 89

Bonaccorsi, R., Scrocco, E., Tomasi, J.: A Representation of the Polarization Term in the Interaction Energy between a Molecule and a Point-Like Charge 63

Campbell, E.S., s. Mezei, M. 227

Chandrasekhar, J., s. Kanakavel, M., et al. 185

Clarisse, F., s. Delhalle, J., et al. 215

Clementi, E., Barsotti, R., Fromm, J., Watts, R.O.: Study of the Structure of Molecular Complexes. XIV. Coordination Numbers for Selected Ion Pairs in Water 101

Cremaschi, P., Simonetta, M.: A Theoretical Study of Electrophilic Reactions. II. The Electronic Structure of Protoformyl and Protoacetylium Dications 351

Dacre, P.D.: On the Configuration Interaction Method for Singlet States 197

Delhalle, J., André, J.-M., Delhalle, S., Pivont-Malherbe, C., Clarisse, F., Leroy, G., Peeters, D.: The Linear Combination of Localized Orbitals Methods (LCLO) for Polymers. I. Polyethylene . . 215

Delhalle, S., s. Delhalle, J., et al. 215

Derouane, E.G., s. André, J.-M., et al. 239

Driessler, F., Kutzelnigg, W.: Analysis of the Chemical Bond. I. The Binding Energy of the MO-LCAO Scheme with an Approximate Correction for Left-Right Correlation, and Its Physical Fragmentation 1

Driessler, F., Kutzelnigg, W.: Analysis of the Chemical Bond. II. Examination of Some Semi-Empirical Methods 307

Fripiat, J.G., s. André, J.-M., et al. 239

Fromm, J., s. Clementi, E., et al. 101

Geoffroy, M., s. Weber, J. 299

Giambiagi, J.J., s. Bollini, C.G., et al. 89

Giambiagi, M., s. Bollini, C.G., et al. 89

Ha, T.-K.: *Ab inito* SCF and CI Study of the Electronic Spectrum of Pyridine N-Oxide 337

Haas, C., s. Smit, T.J.M., et al. 277

Heinzmann, R., s. Ahlrichs, R., et al. 29

Hezemans, A.M.F., s. Obbink, J.H. 75

Ishikawa, Y.: Open-Shell SCF Calculations with a Model Potential Method 329

Jankowski, K., Rutkowski, A.: An Investigation of the Reliability of the Galerkin-Petrov Method with a Special Study of the Helium Atom Ground State 145

Kanakavel, M., Chandrasekhar, J., Subramanian, S., Singh, S.: Calculation of Optimum Geometries and Force Fields by the CNDO/Force Method 185

Kapuy, E., s. Szondy, T. 161

Kapuy, E., Kozmutza, C., Stephens, M.E.: Moment Characterization of Localized Orbitals. . . . 175

Kozmutza, C., s. Kapuy, E., et al. 175

Král, M.: Spin-Orbit Coupling in Chelates with Conjugated Ligands 273
Krivoshey, I. V., Sleta, L. A.: A Topological Stochastic Approach to the Study of Multidimensional Potential Energy Surfaces of Chemical Reactions 165
Kutzelnigg, W., s. Driessler, F. 1
Kutzelnigg, W., s. Driessler, F. 307
Leroy, G., s. Delhalle, J., et al. 215
Mark, F., s. Bachler, V. 121
Meyer, A. Y., s. Pasternak, R. 287
Mezei, M., Campbell, E. S.: Efficient Multipole Expansion: Choice of Order and Density Partitioning Techniques 227
Nieuwpoort, W. C., s. Smit, T. J. M., et al. 277
Obbink, J. H., Hezemans, A. M. F.: CNDO/S Calculations of Magnetic Circular Dichroism of Some Mono-Substituted Benzenes Using the Complete Angular Momentum Operator . . . 75
Pasternak, R., Meyer, A. Y.: Linear Combination of Hybrid Orbitals: Acyclic Alkanes 287
Peeters, D., s. Delhalle, J., et al. 215
Perahia, D., Pullman, A., Pullman, B.: Cation-Binding to Biomolecules. IV. *An ab initio* Study on the Interaction of Na^+ with the Purine and Pyrimidine Bases of the Nucleic Acids 207
Pivont-Malherbe, C., s. Delhalle, J., et al. 215
Pullman, A., s. Perahia, D., et al. 207
Pullman, B., s. Perahia, D., et al. 207
Rauk, A., s. Ziegler, T., et al. 261
Reiser, B.: On the Lattice Stability of Metals. II. Two Perturbation Formalisms for the Comparison of Crystals with Different Lattices 37
Reiser, B.: On the Lattice Stability of Metals. III. A Comparison of the Stability of Body-Centered and Face-Centered Cubic NFE-Metals in a Model Tight-Binding Calculation . . 45
Richardson, F. S., s. Yeh, C. 253
Rutkowski, A., s. Jankowski, K. 145
Scrocco, E., s. Bonaccorsi, R., et al. 63
Segre de Giambiagi, M., s. Bollini, C. G., et al. 89
Shillady, D. D., Trindle, C.: Semiempirical Description of the C_6H_5N Reactive Intermediate in Phenyl Azide Photolysis 137
Singh, S., s. Kanakavel, M., et al. 185
Simonetta, M., s. Gremaschi, P. 351
Sleta, L. A., s. Krivoshey, I. V. 165
Smit, T. J. M., Haas, C., Nieuwpoort, W. C.: *Ab initio* Calculation of the Charge Distribution and the Ligand Field Splitting in the Tetrahedral Halo Complexes $CuCl_4^{2-}$ and $NiCl_4^{2-}$ 277
Stephens, M. E., s. Kapuy, E., et al. 175
Subramanian, S., s. Kanakavel, M., et al. 185
Szondy, T., Kapuy, E.: Determination of Molecular Properties by the Method of Moments. VI. Application to Extended Hartree-Fock Wave Functions 161
Tomasi, J., s. Bonaccorsi, R., et al. 63
Trindle, C., s. Shillady, D. D. 137
Vercauteren, D. P., s. André, J.-M., et al. 239
Watts, R. O., s. Clementi, E., et al. 101
Weber, J., Geoffroy, M.: An MS Xα Study of the Potential Energy Surface and Electronic Structure of the PF_4 Radical 299
Yeh, C., Richardson, F. S.: The $n \rightarrow \pi^*$ Optical Activity of Chiral Carbonyl Compounds Predicted to be Optically Inactive by the Octant Rule 253
Ziegler, T., Rauk, A., Baerends, E. J.: On the Calculation of Multiplet Energies by the Hartree-Fock-Slater Method 261
Zirz, C., s. Ahlrichs, R., et al. 29

Addendum et Erratum

Hollebone, B.R., Donini, J.C.: Ligand Field Distortion Parameters, Theoret. Chim. Acta (Berl.) **39**, 33 (1976) 95

Book Reviews

Chisholm, C.D.H.: Group Theoretical Techniques in Quantum Chemistry (Ref. C.J. Ballhausen) 357
Levine, R., Jortner, J.: Molecular Energy Transfer (Ref. G. Kohlmaier) 99

Indexed in Current Contents

Subject Index

Analysis of binding energy 1, 307

Benzenes, mono-substituted, magnetic circular dichroism of ~ 75
Bivariational procedures 145
Bond order 89

Calculation by the Hartree-Fock-Slater method 261
Cation-binding to biomolecules 207
Charge density partitions 227
Chemical bond 1
Chemisorption of H_2 to defect Mg oxide surfaces 239
Chiral carbonyl compounds 253
CNDO force method 185
Crystal 37

Diazoethane 89
Diels-Alder reaction, regioselectivity in ~ 121

Excited states of hydrocarbons 89

Hückel parameters 307
Hybrids, linear combination of ~ 287
Hydrogen, chemisorption of, to defect Mg oxide surfaces 239

Interference 1
Ion pairs in water, coordination numbers 101

Lattice stability 45
Left-right correlation 1
Ligand field splitting in transition metal complexes, *ab initio* HF calculation of ~ 277
Linear combination of localized orbitals method, application to polymers 215
Localized molecular orbitals, electric moments of ~ 175

Magnetic circular dichroism of mono-substituted benzenes 75
Metals 45
Method of moments 161
Method of moments, reliability and convergence characterization of ~ 145
Molecule-point charge interaction energy 63
Multidimensional energy surfaces of chemical reactions 165
Multiple scattering $X\alpha$ method ($MS\ X\alpha$) 299
Multiplet energies 261
Multipole expansion 227

Neglect of overlap 307

One-electron theories 307
Open-shell SCF with model potential 329
Optical activity in chiral carbonyl compounds 253
Optimum geometry and force fields 185

P_2H_4, conformation analysis of ~ 29
PF_4 radical 299
Phenyl azide photolysis, C_6H_5N reactive intermediate in ~ 137
Polarization energy 63
Potential differences as perturbations 37
Promotion state 1
Protoacetylium dication, electronic structure of 351
Protoformyl, electronic structure of ~ 351
Purines 207
Pyridine N-oxide, electronic spectrum of ~ 337
Pyrimidines 207

Saturated organic compounds, MO treatment of ~ 287
Singlet states, CI method of ~ 197
Spectra, far ultraviolet 287
Spin-orbit coupling in inorganic chelates 273

Tetrachloro transition metal complexes, charge distribution of ~ 277
Topological and stochastic models 165

Unrestricted spin-projected HF equations 161

Instructions to Authors

Manuscripts should be *submitted in duplicate*, typed in double-line spacing on one side of the paper only. Form and contents should be carefully checked to exclude the need for corrections in proof. The author should already mark in the manuscript where figures and tables are to be inserted, as he will receive only *one set of proofs* to correct typographical errors. Authors will be charged for corrections in proof involving changes, additions, or deletions to the original manuscript.

The papers should be preceded by an *English summary* of not more than 100 words. Papers not written in English should have an English translation of the title.

Immediately following the summary, a list of *Key words* (not exceeding five items normally) should be supplied for subject indexing.

Literature references should be numbered and listed at the end of the paper. They should be cited as follows: *journal papers* — names and initials of all authors, journal with abbreviations according to the I.U.P.A.C. list (Chemical Abstracts, Vol. 55, 1961), volume and page number, year in parentheses; *books* — names of authors, full title, edition, place, publisher and year. References should be cited in the text by number.

Figures, graphs, tables and structural formulae should be separated from the text and be numbered. Original drawings and graphs should be made in Indian ink with lines of uniform thickness. Authors should keep in mind that drawings will be reduced to a size not exceeding 12 × 19 cm. In general it should be assumed that the same degree of reduction will apply to all figures in the same paper. Inscriptions should allow for any reduction in scale — a capital letter should be about 1.8 mm in height in the final version. Computer print-outs should be black and evenly printed to allow direct reproduction.

Captions, which should be brief, should be typed separately and attached to the manuscript.

Formulae should be typewritten, special attention being given to the placing of indices and exponents to that they are recognizable as such even though there is no difference in size. Formulae should preferably be written in a "linear" form e. g. $\exp(-\varepsilon/kT)$ instead of $e^{\frac{\varepsilon}{kT}}$). It will help the printer if in doubtful cases the position of indices and exponents is marked thus: $b_{\hat{j}}$, $a^{\check{\nu}}$.

Underlining for special alphabets and typefaces should be done according to the following code:

violet:	numerals to be distinguished from letters (1, *l*; zero, *O*)		
single underlining:	small letter		
double underlining:	capital letter	red:	Greek
brown:	boldface	blue:	Gothic
yellow:	upright	green:	Script

The following are frequently confused:

$\cup$, u, $\bigcup$, U; $\circ$, o, O, 0; $\times$, x, X, $\varkappa$; $\vee$, v, ν; θ, Θ, ϕ, φ, Φ, $\varnothing$, $\emptyset$; ψ, Ψ; ε, $\in$;

a', a^1; the symbol a and the indefinite article a. Please take care to distinguish them in some way.

Special alphabets or typefaces

Script	$\mathscr{A}, \mathscr{B}, \mathscr{C}, \mathscr{D}, \mathscr{E}, \mathscr{F}, \mathscr{G}, \mathscr{H}, \mathscr{I}, \mathscr{J}, \mathscr{K}, \mathscr{L}, \mathscr{M}, \mathscr{N}, \mathscr{O}, \mathscr{P}, \mathscr{Q}, \mathscr{R}, \mathscr{S}, \mathscr{T}, \mathscr{U}, \mathscr{V}, \mathscr{W}, \mathscr{X}, \mathscr{Y}, \mathscr{Z}$
	$a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z$
Sanserif	A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z
	a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z
Boldface, italic	$\boldsymbol{A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z}$
	$\boldsymbol{a, b, c, d, e, f, g, h, i, j, k, l, m, n, o, p, q, r, s, t, u, v, w, x, y, z}$
Special Roman	$\mathbb{A}, \mathbb{B}, \mathbb{C}, \mathbb{D}, \mathbb{E}, \mathbb{F}, \mathbb{G}, \mathbb{H}, \mathbb{I}, \mathbb{J}, \mathbb{K}, \mathbb{L}, \mathbb{M}, \mathbb{N}, \mathbb{O}, \mathbb{P}, \mathbb{Q}, \mathbb{R}, \mathbb{S}, \mathbb{T}, \mathbb{U}, \mathbb{V}, \mathbb{W}, \mathbb{X}, \mathbb{Y}, \mathbb{Z}, \mathbb{1}$
Greek	$\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega$
	$\alpha, \beta, \gamma, \delta, \varepsilon, \zeta, \eta, \theta, \vartheta, \iota, \kappa, \lambda, \mu, \nu, \xi, o, \pi, \rho, \sigma, \tau, \upsilon, \varphi, \phi, \chi, \psi, \omega$

Notations

preferred form	instead of	preferred form	instead of
$A^*, b^\sim, \gamma', \mathbf{v}$	$\overline{A}, \hat{b}, \breve{\gamma}, \tilde{v}$	$f: A \to B$	$A \xrightarrow{f} B$
lim sup, lim inf	$\overline{\lim}, \underline{\lim}$		
inj lim, proj lim	$\varinjlim, \varprojlim$		
$\exp(-(x^2+y^2)/a^2)$	$e^{-\frac{x^2+y^2}{a^2}}$	$\dfrac{\cos(1/x)}{(a+b/x)^{1/2}}$	$\dfrac{\cos\frac{1}{x}}{\sqrt{a+\frac{b}{x}}}$
f^{-1}	$\overset{-1}{f}$		

THEORETICA CHIMICA ACTA

Manuscripts may be submitted to the Editor-in-Chief, to any of the Co-editors listed below, or to the Editorial Office

Australia
Prof. Dr. Ronald D. Brown,
Department of Chemistry, Monash University, P. O. Box 92, Clayton, Victoria, 3168

Canada
Prof. Dr. Camille Sandorfy,
Université de Montréal, Case Postale 6128, Montréal

Czechoslovakia
Prof. Dr. Rudolf Zahradník,
J.-Heyrovský-Institute of Physical Chemistry and Electrochemistry, Czechoslovak Academy of Sciences, Máchova 7, 121 38 Prague 2

Denmark
Prof. D. Carl J. Ballhausen,
Chemical Laboratory IV, H. C. Ørstedinstitutet, Universitetsparken 5, København Ø

France
Prof. Dr. Bernard Pullman,
Institut de Biologie Physico-Chimique, Université de Paris, 13 rue Pierre et Marie Curie, F-75005 Paris

Germany
Prof. Dr. Jaroslav Koutecký,
Institut für physikalische Chemie und Quantenchemie, Freie Universität Berlin, Thielallee 63—67, D-1000 Berlin 33

Israel
Prof. Dr. J. Jortner,
Institute of Chemistry, Tel-Aviv University, Ramat-Aviv, Tel-Aviv

Italy
Prof. Dr. Massimo Simonetta,
Istituto di Chimica Fisica dell'Università di Milano, Via Golgi 19, Milano

Japan
Prof. Dr. Maso Kotani,
36-4 Sanno 3 chome, Ota-ku, Tokyo 143

Prof. Dr. K. Fukui,
Department of Hydrocarbon Chemistry, Faculty of Engineering, Kyoto University, Kyoto

Switzerland
Prof. Dr. Edgar Heilbronner,
Physikalisch-Chemisches Institut der Universität Basel, Klingelbergstraße 80, CH-4000 Basel

USA
Prof. Dr. Ralph G. Pearson,
Chemistry Department, University of California, Santa Barbara, CA 93106

Prof. Dr. Klaus Ruedenberg,
Department of Chemistry, Iowa State University of Science and Technology, Ames, IA 50010

Prof. Dr. Oktay Sinanoğlu,
Department of Chemistry, Yale University, 225 Prospect Street, New Haven, CT 06520

USSR
Prof. Dr. E. E. Nikitin,
Institute of Chemical Physics, Academy of Sciences of the USSR, Vorobyevskoye chaussée 2-b, Moskwa V-334

THEORETICA CHIMICA ACTA

Vol. 43 Fasc. 4

Original Investigations

R. Pasternak, A. Y. Meyer: Linear Combination of Hybrid Orbitals: Acyclic Alkanes . . 287

J. Weber, M. Geoffroy: An MS Xα Study of the Potential Energy Surface and Electronic Structure of the PF_4 Radical 299

F. Driessler, W. Kutzelnigg: Analysis of the Chemical Bond. II. Examination of Some Semi-Empirical Methods 307

Y. Ishikawa: Open-Shell SCF Calculations with a Model Potential Method 329

T.-K. Ha: *Ab inito* SCF and CI Study of the Electronic Spectrum of Pyridine N-Oxide . 337

Short Communication

P. Cremaschi, M. Simonetta: A Theoretical Study of Electrophilic Reactions. II. The Electronic Structure of Protoformyl and Protoacetylium Dications 351

Book Review

C. D. H. Chisholm: Group Theoretical Techniques in Quantum Chemistry (Ref. C. J. Ballhausen) 357

Indexed in Current Contents